



Designed for possibilities.
Made for people.



Floors, walls and doors guide

Product catalogue

POWERED BY:
PREMIER
premier.partners

Welcome to Altro	4
Floors	
LVTs	
Altro Ensemble™	6
Rolls	
Altro Cantata™ adhesive-free	14
Altro Orchestra™	16
Altro Orchestra™ Custom	20
Altro Operetta™	22
Altro Zodiac™	24
Altro Serenade™	26
Altro Wood™ adhesive-free	28
Altro Wood™	30
Altro Wood™ Comfort	32
Altro Illustra™ adhesive-free	34
Altro Illustra™	36
Altro Suprema™	38
Altro XpressLay™ adhesive-free	42
Altro Walkway™ 20	46
Altro Walkway™ 20 SD	50
Altro Classic™ 25	52
Altro Reliance™ 25	54
Altro Atlas™ 40	58
Altro Stronghold™ 30 adhesive-free	60
Altro Stronghold™ 30	62
Altro Aquarius™	64
Altro Pisces™	66
Altro Marine™	68
Walls	
Hygienic wall sheets	
Altro Whiterock White™	70
Altro Whiterock Satins™	72
Altro Whiterock Chameleon™	76
Altro Whiterock™ wall designs	78
Altro Whiterock Digiclad™ (Custom)	80
Wall protection	
Altro Fortis Titanium™	82
Altro Fortis™ corner protection	84
Specialist wall solutions	
Altro Tegulis™	86
Altro Whiterock™ Imagination Wall	88
Altro Whiterock™ Whiteboard	90
Altro Walls ShowerKit™	92
Altro Whiterock™ recessed shelf	96
Altro Whiterock Splashbacks™	98
Doors	
Altro Whiterock hygienic doorsets™	102
Altro Fortis doorsets™	103
Altro Fortis door protection™	104
Technical drawings	106
Support	120



Designer ranges		Safety floors continued		Sustainable solutions	
LVTs		Heavy duty (2.5mm+)		Adhesive-free floors	
Altro Ensemble (14dB)	6	Altro Classic (2.5mm)	52	Altro Cantata adhesive-free (14dB)	14
Floors		Altro Reliance (2.5mm)	54	Adhesive-free floors with safety	
Altro Cantata adhesive-free (14dB)	14	Altro Atlas (4mm)	58	Altro Wood adhesive-free (14dB)	28
Altro Orchestra (15dB)	16	Kitchens		Altro Illustra adhesive-free (14dB)	34
Altro Orchestra Custom (15dB)	20	Altro Classic (2.5mm)	52	Altro XpressLay adhesive-free	38
Altro Operetta (4dB)	22	Altro Stronghold 30 adhesive-free	60	Altro Stronghold 30 adhesive-free	60
Altro Zodiac	24	Altro Stronghold	62	Walls and doors	
Altro Serenade (19dB)	26	Bathrooms		Altro Whiterock White	70
Floors with safety		Altro Aquarius	64	Altro Whiterock Satins	72
Altro Wood adhesive-free (14dB)	28	Altro Pisces	66	Altro Whiterock Chameleon	76
Altro Wood	30	Altro Marine	68	Altro Whiterock wall designs	78
Altro Wood Comfort (14dB)	32	Heavy duty		Altro Tegulis	86
Altro Illustra adhesive-free (14dB)	34	Floors		Altro Walls ShowerKit	92
Altro Illustra (4dB)	36	Altro Classic	52	Altro Whiterock recessed shelf	96
Altro Suprema	38	Altro Reliance	54	Altro Whiterock Splashbacks	98
Decorative wall sheets		Altro Atlas	58	Altro Whiterock hygienic doorsets	102
Altro Whiterock Satins	72	Wall protection		Altro Fortis doorsets	103
Altro Whiterock Chameleon	76	Altro Fortis Titanium	82	Altro Fortis door protection	104
Altro Whiterock wall designs	78	Altro Fortis corner protection	82	Commercial kitchens	
Altro Whiterock Digiclad (Custom)	80	Doors		Floors	
Altro Tegulis	86	Altro Fortis doorsets	103	Altro Classic	52
Altro Whiterock Imagination Wall	88	Altro Fortis door protection	104	Altro Stronghold 30 adhesive-free	60
Altro Whiterock Whiteboard	90	Walls and doors		Altro Stronghold 30	62
Acoustic floors		Hygienic wall sheets		Walls	
LVTs		Altro Whiterock White	70	Altro Whiterock White	70
Altro Ensemble (14dB)	6	Altro Whiterock Satins	72	Altro Whiterock Satins	72
Floors		Altro Whiterock Chameleon	76	Altro Whiterock Chameleon	76
Altro Cantata adhesive-free (14dB)	14	Altro Whiterock wall designs	78	Altro Whiterock wall designs	78
Altro Orchestra (15dB)	16	Altro Whiterock Digiclad (Custom)	80	Altro Tegulis	86
Altro Orchestra Custom (15dB)	20	Altro Whiterock Imagination Wall	88	Altro Whiterock hygienic doorsets	102
Altro Serenade (19dB)	26	Altro Whiterock Whiteboard	90	Wet rooms, showers and bathrooms	
Altro Wood adhesive-free (14dB)	28	Altro Walls ShowerKit	92	Floors	
Altro Wood Comfort (14dB)	32	Altro Whiterock recessed shelf	96	Altro Aquarius	64
Altro Illustra adhesive-free (14dB)	34	Altro Whiterock Splashbacks	98	Altro Pisces	66
Safety floors		Tile-effect wall sheets		Altro Marine	68
Floors		Altro Tegulis	86	Walls	
Altro Wood adhesive-free (14dB)	28	Wall protection		Altro Whiterock White	70
Altro Wood (4dB)	30	Altro Fortis Titanium	82	Altro Whiterock Satins	72
Altro Wood Comfort (14dB)	32	Altro Fortis corner protection	84	Altro Whiterock Chameleon	76
Altro Illustra adhesive-free (14dB)	34	Doors		Altro Whiterock wall designs	78
Altro Illustra (4dB)	36	Altro Whiterock hygienic doorsets	102	Altro Whiterock Digiclad (Custom)	80
Altro Suprema	38	Altro Fortis doorsets	103	Altro Tegulis	86
Altro XpressLay adhesive-free	42	Altro Fortis door protection	104	Altro Walls ShowerKit	92
Altro Walkway	46			Altro Whiterock recessed shelf	96
Altro Walkway SD	50			Altro Whiterock Splashbacks	98

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people’s needs at the heart of everything we do. It’s a human-centred approach to designing for the demands of 21st century life.

It’s a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors – LVTs



Altro Ensemble

Application areas:

- Communal areas
- Receptions
- Corridors
- Dining, bars
- Waiting areas
- Resident rooms
- Shops

Altro Ensemble – the next generation of luxury vinyl tiles. A modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From warm wood herringbone to geometric patterns, natural stone and concrete effects, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB impact sound insulation with added comfort underfoot, making it perfect for front of house areas in hospitality, hotels including foyers and reception areas, restaurant and café dining areas, retail, offices, and student accommodation – any environment where design is key.

With six, lightweight, easy to install, modular sizes, you can create flexible designs by mix and matching, to creating unique patterns where first impressions count.



Nimbus Oak
M054W125L1000 | LRV 36

For full technical details [altro.com](https://www.altro.com)

Floors – LVTs



White Vintage Timber
M009W100L500 | LRV 44



Spring Oak
M051W100L500 | LRV 54




Autumn Oak
M053W100L500 | LRV 35



Spiced Oak
M052W100L500 | LRV 24




Persian Oak
M044W100L500 | LRV 20




Blue Vintage Timber
M011W100L500 | LRV 42



Greige Rustic Oak
M034W100L500 | LRV 35



Medium Grey
Harmonious Oak
M027W100L500 | LRV 21



Midnight Oak
M040W100L500 | LRV 7

Plank size



100 x 500 mm

Floors – LVTs



Spring Oak
M051W125L1000 | LRV 54



Bale Oak
M041W125L1000 | LRV 48



Autumn Oak
M053W125L1000 | LRV 35




Spanish Oak
M045W125L1000 | LRV 30



Natural Rustic Oak
M017W125L1000 | LRV 27



White Vintage Timber
M009W125L1000 | LRV 44



Blue Vintage Timber
M011W125L1000 | LRV 42



Harbour Oak
M046W125L1000 | LRV 35



Natural Striking Oak
M032W125L1000 | LRV 26



Marine Oak
M042W125L1000 | LRV 21



Faded Oak
M039W125L1000 | LRV 57



Sage Oak
M043W125L1000 | LRV 38



Greige Striking Oak
M033W125L1000 | LRV 16



Smoked Rustic Oak
M035W125L1000 | LRV 12



River Oak
M047W125L1000 | LRV 14




Greige Rustic Oak
M034W125L1000 | LRV 35



Storm Oak
M056W125L1000 | LRV 42



Nimbus Oak
M054W125L1000 | LRV 36



Medium Grey
Harmonious Oak
M027W125L1000 | LRV 21



Spiced Oak
M052W125L1000 | LRV 24

Plank size



125 × 1000 mm

Floors – LVTs




Persian Oak
M044W125L1000 | LRV 20



Tobacco Limed
Striking Oak
M008W125L1000 | LRV 18



Regal Oak
M049W125L1000 | LRV 12



Midnight Oak
M040W125L1000 | LRV 7

Plank size



125 × 1000 mm




Bale Oak
M041W166L1500 | LRV 48




Autumn Oak
M053W166L1500 | LRV 35



Spiced Oak
M052W166L1500 | LRV 24



Medium Grey
Harmonious Oak
M027W166L1500 | LRV 21



Midnight Oak
M040W166L1500 | LRV 7

Plank size



166 × 1500 mm

Floors – LVTs



Spring Oak
M051W200L2000 | LRV 54



Autumn Oak
M053W200L2000 | LRV 35



Natural Rustic Oak
M017W200L2000 | LRV 27




Harbour Oak
M046W200L2000 | LRV 35



Marine Oak
M042W200L2000 | LRV 21



Greige Rustic Oak
M034W200L2000 | LRV 35



Medium Grey
Harmonious Oak
M027W200L2000 | LRV 21



Smoked Rustic Oak
M035W200L2000 | LRV 12



Spiced Oak
M052W200L2000 | LRV 24




River Oak
M047W200L2000 | LRV 14



Persian Oak
M044W200L2000 | LRV 20



Regal Oak
M049W200L2000 | LRV 12



Midnight Oak
M040W200L2000 | LRV 7

Plank size

200 × 2000 mm

Floors – LVTs



Fossil Stone
MT084W500L500 | LRV 45



Urban Concrete
MT090W500L500 | LRV 40



Village Concrete
MT091W500L500 | LRV 53



Venetian Stone
MT092W500L500 | LRV 40




Platinum Concrete
MT087W500L500 | LRV 37



Portland Stone
MT083W500L500 | LRV 20



Pumice Stone
MT085W500L500 | LRV 13



Pewter Concrete
MT088W500L500 | LRV 15



Clay Stone
MT086W500L500 | LRV 9



Anthracite Concrete
MT089W500L500 | LRV 6


Tile size

500 × 500 mm

Floors – LVTs



Fossil Stone
MT084W500L1000 | LRV 45



Urban Concrete
MT090W500L1000 | LRV 40



Village Concrete
MT091W500L1000 | LRV 53



Venetian Stone
MT092W500L1000 | LRV 40




Platinum Concrete
MT087W500L1000 | LRV 37



Portland Stone
MT083W500L1000 | LRV 20



Pumice Stone
MT085W500L1000 | LRV 13



Pewter Concrete
MT088W500L1000 | LRV 15



Clay Stone
MT086W500L1000 | LRV 9



Anthracite Concrete
MT089W500L1000 | LRV 6

Tile size



500 × 1000 mm



Floors




Altro Cantata adhesive-free

Application areas:

- Communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.




Hazelnut | AFP282009
WR418 / A1M239 / LRV 18




For full technical details [altro.com](https://www.altro.com)


Floors




Frosted Glass
AFP282005
WR388 / A1M388 / LRV 52



Mocha
AFP282003
WR555 / A1M389 / LRV 40



Graphite
AFP282002
WR390 / A1M390 / LRV 30




True Grit
AFP282001
WR391 / A1M82 / LRV 17




Black Sand
AFP282010
WR485 / A1M485 / LRV 7




Crème Caramel
AFP282006
WR523 / A1M385 / LRV 50



Willow Tree
AFP282007
WR399 / A1M399 / LRV 41



Bluebell
AFP282004
WR398 / A1M398 / LRV 26




Sunrise
AFP282008
WR393 / A1M393 / LRV 19




Treviso
AFT284003
WR483 / A1M483 / LRV 44




Seal Grey
AFC281002
WR435 / A1M390 / LRV 26




Bluefin
AFC281001
WR438 / A1M486 / LRV 26




Milan
AFT284002
WR482 / A1M482 / LRV 15



Rome
AFT284001
WR481 / A1M83 / LRV 16



Venice
AFT284004
WR484 / A1M484 / LRV 40



Elephant Grey
AFC281003
WR436 / A1M487 / LRV 17

Floors




Alto Orchestra

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

For areas where comfort and sound reduction are important, 2.85mm Alto Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. Alto Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.



Serpent* | CH2850U
WR517 / A1M136 / LRV 56



For full technical details [altro.com](https://www.altro.com)

Floors

 Chimes CH2836U WR457 / A1M335 / LRV 52	 Oboe CH2835U WR456 / A1M338 / LRV 34	 Violin CH2834U WR455 / A1M361 / LRV 31	 Bongo CH2840U WR461 / A1M152 / LRV 27	 Drum CH2837U WR458 / A1M74 / LRV 18
 Trombone CH2839U WR460 / A1M484 / LRV 39	 Conga CH2879U WR390 / A1M390 / LRV 30	 Flute CH2833U WR454 / A1M86 / LRV 22	 Manon CH2878U WR391 / A1M82 / LRV 17	
 Maraca CH2855U WR499 / A1M136 / LRV 56	 Volta* CH2851U WR518 / A1M335 / LRV 48	 Porter* CH2854U WR498 / A1M483 / LRV 43	 Notturna* CH2853U WR497 / A1M369 / LRV 48	 Chromatic* CH2852U WR496 / A1M136 / LRV 49
 Musette CH2856U WR515 / A1M136 / LRV 49	 Brass* CH2842U WR483 / A1M483 / LRV 44	 Woodwind* CH2843U WR489 / A1M385 / LRV 45	 String CH2841U WR484 / A1M484 / LRV 40	 Percussion CH2844U WR490 / A1M86 / LRV 18
 Orfeo* CH2849U WR41 / A1M41 / LRV 9	 Turandot* CH2847U WR482 / A1M482 / LRV 15	 Falstaff* CH2846U WR493 / A1M493 / LRV 9	 Othello* CH2848U WR62 / A1M62 / LRV 9	 Montezuma* CH2845U WR485 / A1M485 / LRV 8

*There may be limited stocks in these colours which are subject to a manufacturing lead time. Please check availability before ordering.

Floors



Reggae | CH2801U
WR422 / A1M200 / LRV 48



Salsa | CH2802U
WR423 / A1M200 / LRV 20




Flamenco | CH2806U
WR427 / A1M200 / LRV 12




Jazz | CH2824U
WR445 / A1M200 / LRV 15




Fusion | CH2813U
WR434 / A1M200 / LRV 49




Rap | CH2820U
WR441 / A1M200 / LRV 30




Soul | CH2817U
WR438 / A1M200 / LRV 29




Gospel | CH2821U
WR442 / A1M200 / LRV 17




Metal | CH2818U
WR439 / A1M84 / LRV 16




Chant | CH2814U
WR435 / A1M390 / LRV 26




Club | CH2815U
WR436 / A1M487 / LRV 17




Trumpet | CH2825U
WR446 / A1M347 / LRV 37




Cello | CH2829U
WR450 / A1M81 / LRV 24




Bassoon* | CH2831U
WR452 / A1M84 / LRV 17




Guitar | CH2828U
WR449 / A1M137 / LRV 29



Glockenspiel | CH2827U
WR448 / A1M361 / LRV 23



Rigoletto* | CH2876U
WR519 / A1M392 / LRV 34




Traviata* | CH2877U
WR520 / A1M338 / LRV 28

Floors



Elektra | CH2870U
WR511 / A1M392 / LRV 58




Carlotta* | CH2865U
WR507 / A1M337 / LRV 26




Sitar | CH2869U
WR510 / A1M347 / LRV 38



Macavity | CH2867U
WR508 / A1M11 / LRV 57




Aurora | CH2857U
WR500 / A1M136 / LRV 60




Seville* | CH2860U
WR503 / A1M79 / LRV 45




Tosca | CH2862U
WR494 / A1M494 / LRV 23



Reed | CH2874U
WR513 / A1M85 / LRV 39



Polka | CH2859U
WR502 / A1M390 / LRV 23




Marimba* | CH2863U
WR505 / A1M390 / LRV 30




Fidelio* | CH2868U
WR509 / A1M85 / LRV 35



Cornet | CH2864U
WR506 / A1M82 / LRV 20



Nabucco* | CH2873U
WR512 / A1M84 / LRV 24



Timpani | CH2861U
WR504 / A1M417 / LRV 20



Kora* | CH2871U
WR495 / A1M495 / LRV 8



Figaro | CH2858U
WR501 / A1M82 / LRV 13

Floors




Altro Orchestra Custom

Application areas:

- Communal areas
- Receptions
- Corridors
- Therapy, spa areas
- Special needs schools
- Shops
- Exhibitions

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or upload your own design using our simple step-by-step Custom service. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Grass 1 | DPSCH0059



For full technical details [altro.com](https://www.altro.com)



Floors



Altro Operetta

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges. Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.


Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.



Madrigal | OP2134U
WR455 / A1M361 / LRV 31

For full technical details [altro.com](https://www.altro.com)

Floors




Acapella | OP2135U
WR456 / A1M338 / LRV 34




Glee | OP2136U
WR457 / A1M335 / LRV 52




Yeoman | OP2139U
WR460 / A1M484 / LRV 39




Baroque | OP2133U
WR454 / A1M86 / LRV 22




Leo | OP2179U
WR390 / A1M390 / LRV 30




Soprano | OP2137U
WR458 / A1M74 / LRV 18




Lola | OP2178U
WR391 / A1M82 / LRV 17




Quintet | OP2114U
WR435 / A1M390 / LRV 26




Pulse | OP2118U
WR439 / A1M84 / LRV 16



Tempo | OP2115U
WR436 / A1M487 / LRV 17




Clef | OP2125U
WR446 / A1M347 / LRV 37




Canon | OP2129U
WR450 / A1M81 / LRV 24



Drop | OP2127U
WR448 / A1M361 / LRV 23



Beethoven | OP2159U
WR502 / A1M390 / LRV 23




Black Forest | OP2158U
WR501 / A1M82 / LRV 13




Shake | OP2164U
WR506 / A1M82 / LRV 20



Vivo | OP2162U
WR494 / A1M494 / LRV 23




Allegra | OP2169U
WR510 / A1M347 / LRV 38




Cabasa | OP2161U
WR504 / A1M417 / LRV 20




Tutti | OP2157U
WR500 / A1M136 / LRV 60




Stanza | OP2156U
WR515 / A1M136 / LRV 49



Beat | OP2155U
WR499 / A1M136 / LRV 56



Vagabond | OP2141U
WR484 / A1M484 / LRV 40



Vamp | OP2144U
WR490 / A1M86 / LRV 18

Floors



Altro Zodiac


Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.



Oxygen | ZD2007U
WR317 / A1M200 / LRV 41



For full technical details [altro.com](https://www.altro.com)

Floors



Hologram | ZD2001U
WR311 / A1M200 / LRV 57



Comet | ZD2003U
WR313 / A1M200 / LRV 33



Capricorn | ZD2004U
WR314 / A1M200 / LRV 10

Floors




Altro Serenade

Application areas:

- Resident rooms
- Bedrooms
- Play areas
- Classrooms
- Lecture theatres
- Libraries
- Hotels

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and five designs. Co-ordinates with other ranges.

Altro Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Chord | SE3934U
WR455 / A1M361 / LRV 31




For full technical details [altro.com](https://www.altro.com)


Floors




Caldara | SE3939U
WR460 / A1M484 / LRV 39



Anthem | SE3933U
WR454 / A1M86 / LRV 22




Moonlight | SE3937U
WR458 / A1M74 / LRV 18




Dulcimer | SE3955U
WR499 / A1M136 / LRV 56




March | SE3925U
WR446 / A1M347 / LRV 37



Opus | SE3927U
WR448 / A1M361 / LRV 23




Encore | SE3929U
WR450 / A1M81 / LRV 24



Metronome | SE3914U
WR435 / A1M390 / LRV 26



Elgar | SE3962U
WR494 / A1M494 / LRV 23



Charm | SE3969U
WR510 / A1M347 / LRV 38



Andante | SE3957U
WR500 / A1M136 / LRV 60

Floors – Safety



Altro Wood adhesive-free

Application areas:

- Entrances, corridors, communal areas
- Dining, bars
- Domestic kitchens
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood and Altro Wood Comfort. Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Now with matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Champagne Oak | AFW280010
WR338 / A1M338 / LRV 38

10
year
product guarantee

Pendulum test
PTV
≥36

R10

1 in a
million
for life

14dB



altro
adhesive-free



97%
RH
H₂O



altro
EASYSOIL
CLEAN

low
VOC

For full technical details
[altro.com](https://www.altro.com)

Floors – Safety



Portuguese Oak
AFW280013
WR335 / A1M335 / LRV 51



Frosted Oak
AFW280001
WR335 / A1M335 / LRV 52



Post Oak
AFW280016
WR350 / A1M483 / LRV 30



Soft Maple
AFW280002
WR339 / A1M339 / LRV 24



Summer Oak
AFW280005
WR340 / A1M340 / LRV 37



Caramel Oak
AFW280006
WR353 / A1M225 / LRV 25



Honey Maple
AFW280011
WR352 / A1M352 / LRV 27



Birnam Oak
AFW280017
WR352 / A1M352 / LRV 21



Oxford Oak
AFW280014
WR339 / A1M339 / LRV 22




Imperial Walnut
AFW280009
WR341 / A1M160 / LRV 15



Bur Oak
AFW280015
WR514 / A1M514 / LRV 21



Shaded Cherry
AFW280004
WR337 / A1M337 / LRV 17



Timeless Oak
AFW280007
WR347 / A1M347 / LRV 38



Dusky Cherry
AFW280003
WR336 / A1M239 / LRV 22



Holm Oak
AFW280018
WR478 / A1M390 / LRV 26



Vintage Oak
AFW280012
WR322 / A1M239 / LRV 19



Pitch Oak
AFW280008
WR348 / A1M348 / LRV 7

Floors – Safety



Altro Wood

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-effect vinyl safety flooring is now available in a range of designs with different plank sizes and shades including wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, making design simpler. Now with matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Autumn Maple | WSA2005
WR339 / A1M339 / LRV 24



For full technical details [altro.com](https://www.altro.com)

Floors – Safety



Ranch Oak | WSA2021
WR335 / A1M335 / LRV 51



Bleached Oak | WSA2001
WR335 / A1M335 / LRV 52



Sessile Oak | WSA2027
WR350 / A1M483 / LRV 30



Washed Oak | WSA2015
WR347 / A1M347 / LRV 38



Farmhouse Oak | WSA2004
WR338 / A1M338 / LRV 38



Rustic Oak | WSA2006
WR340 / A1M340 / LRV 37



Spring Maple | WSA2018
WR352 / A1M352 / LRV 27



Oak Traditions | WSA2013
WR353 / A1M225 / LRV 25



Bavarian Oak | WSA2026
WR514 / A1M514 / LRV 21



Mountain Oak | WSA2022
WR339 / A1M339 / LRV 22



Honey Oak | WSA2028
WR352 / A1M352 / LRV 21



Slate Oak | WSA2029
WR478 / A1M390 / LRV 26



Vintage Cherry | WSA2002
WR336 / A1M239 / LRV 22



Urban Cherry | WSA2003
WR337 / A1M337 / LRV 17



Antique Walnut | WSA2007
WR341 / A1M160 / LRV 15



Worn Oak | WSA2023
WR322 / A1M239 / LRV 19



Manor Oak | WSA2016
WR348 / A1M348 / LRV 7

Floors – Safety



Altro Wood Comfort

Application areas:

- Entrances, corridors, communal areas
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Veteran Oak | WSASC2822
WR339 / A1M339 / LRV 22



For full technical details [altro.com](https://www.altro.com)

Floors – Safety



Soft Oak | WSASC2804
WR338 / A1M27 / LRV 38



Light Bamboo
WSASC2820
WR463 / A1M392 / LRV 42



Field Oak | WSASC2806
WR340 / A1M340 / LRV 37



Warm Maple
WSASC2805
WR339 / A1M339 / LRV 24



Classic Walnut
WSASC2807
WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815
WR347 / A1M347 / LRV 38



Antique Cherry
WSASC2802
WR336 / A1M239 / LRV 22



Deep Cherry
WSASC2803
WR337 / A1M337 / LRV 17



Royal Oak | WSASC2823
WR322 / A1M239 / LRV 19



Regent Oak
WSASC2825
WR468 / A1M62 / LRV 10



Reclaimed Oak
WSASC2821
WR335 / A1M335 / LRV 51

Floors – Safety




Altro Illustra adhesive-free

Application areas:

- Entrances, communal areas, corridors
- Dining, bars, restaurants
- Domestic kitchens
- Bedrooms, quiet rooms
- Wards
- Classrooms, Libraries
- Shops
- Toilet, staff changing areas

Looking for an adhesive-free safety floor that provides limitless design possibilities? Altro Illustra adhesive-free combines style, safety, durability and provides installation flexibility, with the stone, textile, and mineral designs offering a range of aesthetic possibilities.

Using our award-winning adhesive-free installation method, Altro Illustra adhesive-free can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled. Using Altro adhesive-free floors, you can halve installation time compared with a traditional adhered installation, and save up to 50% carbon.













Soft Blush | LUAF2408
WR570 / A1M11 / LRV 57



For full technical details
altro.com

Floors – Safety

				
Shrouded Mountain LUAF2417 WR497 / A1M369 / LRV 55	Stepping Stone LUAF2416 WR567 / A1M369 / LRV 55	Cobblestone LUAF2414 WR560 / A1M79 / LRV 41	Crag Stone LUAF2418 WR566 / A1M81 / LRV 36	Cocoa Clay LUAF2413 WR565 / A1M387 / LRV 26
				
Hammerhead LUAF2415 WR501 / A1M487 / LRV 20	Thunder Mountain LUAF2412 WR562 / A1M83 / LRV 13	Cotton Twist LUAF2409 WR446 / A1M347 / LRV 38	Tranquil Twist LUAF2410 WR478 / A1M361 / LRV 25	Deep Twist LUAF2411 WR301 / A1M82 / LRV 12
				
Distant Shore LUAF2401 WR552 / A1M20 / LRV 43	Touchstone LUAF2402 WR61 / A1M239 / LRV 27	Dusky Grit LUAF2403 WR561 / A1M518 / LRV 17	Rose Petal LUAF2405 WR535 / A1M149 / LRV 29	Tamarind LUAF2404 WR539 / A1M42 / LRV 26
				
Waters Edge LUAF2407 WR542 / A1M516 / LRV 38	Ivy League LUAF2406 WR242 / A1M154 / LRV 20			

Floors – Safety




Altro Illustra

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars, restaurants
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Toilet, staff changing areas

Looking for a safety floor that provides limitless design possibilities? Altro Illustra combines style, safety, durability and offers a range of aesthetic options, from nature inspired stone to modern textile design, the possibilities are endless. Whether you're creating an inviting learning environment, a comfortable care facility, an attractive retail space, or a welcoming hospitality venue, Altro Illustra is the perfect flooring solution to bring your vision to life. Love the look of Altro Illustra but want to save carbon, time and money – make the easy switch to Altro Illustra adhesive-free, the 100% recyclable design-led safety floor.



Hazy Twist | LU2409
WR446 / A1M347 / LRV 38



For full technical details
altro.com

Floors – Safety




Soapstone | LU2417
WR497 / A1M369 / LRV 55




Ammonite | LU2416
WR567 / A1M369 / LRV 55



Keystone | LU2414
WR560 / A1M79 / LRV 41



Jurassic Slab | LU2418
WR566 / A1M81 / LRV 36




Canyon Clay | LU2413
WR565 / A1M387 / LRV 26




Skyfall | LU2415
WR501 / A1M487 / LRV 20




Bedrock | LU2412
WR562 / A1M83 / LRV 13




Gentle Twist | LU2410
WR478 / A1M361 / LRV 25




Midnight Twist | LU2411
WR301 / A1M82 / LRV 12



Sand Castle | LU2401
WR552 / A1M20 / LRV 43



Clay Bed | LU2402
WR61 / A1M239 / LRV 27



Highway | LU2403
WR561 / A1M518 / LRV 17

Floors – Safety



Altro Suprema


Application areas:

- Entrances, corridors, stairs, dining, wards
- Domestic kitchens
- Classrooms
- Art rooms
- Treatment areas
- Clinics, vets
- Toilet, staff changing areas
- Early years wet play areas

Altro Suprema now features a range of stylish colours reflecting contemporary trends and diverse design needs. This non-sparkle, low-gloss safety flooring has sustained slip resistance and is available in a choice of chip or plain designs.

It incorporates Altro Easyclean technology, designed for low maintenance and a lasting attractive appearance, saving you time and cleaning costs. And it has superior stain, abrasion and scratch resistance, so you can use even light colours with confidence.

Altro Suprema is manufactured and stocked in the UK. It is suitable for very heavy commercial use, foot and wheeled traffic in demanding commercial areas.




Clematis | SYI20029
WR546 / A1M228 / LRV 27




For full technical details [altro.com](https://www.altro.com)


Floors – Safety



Ornella | SY20024
WR534 / A1M11 / LRV 49




Roselle | SYI20025
WR534 / A1M11 / LRV 49



Evora | SYI20017
WR538 / A1M515 / LRV 37




Calla | SY20030
WR538 / A1M515 / LRV 37




Diantha | SY20007
WR527 / A1M265 / LRV 37



Pampas | SY20009
WR569 / A1M01 / LRV 62




Primula | SY20023
WR543 / A1M335 / LRV 50




Dicentra | SYI20022
WR543 / A1M335 / LRV 50




Hazel | SY20008
WR526 / A1M239 / LRV 22




Coleus | SYI20004
WR526 / A1M239 / LRV 22




Hibiscus | SY20005
WR79 / A1M191 / LRV 42




Cicely | SY20006
WR81 / A1M81 / LRV 28



Agave | SY20002
WR525 / A1M86 / LRV 19



Festuca | SYI20010
WR528 / A1M82 / LRV 15




Cardoon | SYI20003
WR301 / A1M82 / LRV 11



Italicum | SY20001
WR301 / A1M82 / LRV 12


Floors – Safety




Okame | SY120020
WR541 / A1M294 / LRV 47




Amaranth | SY20026
WR535 / A1M149 / LRV 29



Dahlia | SY20019
WR540 / A1M303 / LRV 14



Cranebill | SY20011
WR529 / A1M238 / LRV 9




Zinnia | SY20016
WR537 / A1M44 / LRV 13




Senna | SY20033
WR549 / A1M152 / LRV 31




Freesia | SY20018
WR539 / A1M42 / LRV 26




Kolibri | SY20014
WR533 / A1M399 / LRV 35




Gerbera | SY20031
WR547 / A1M154 / LRV 20




Sorrel | SY20028
WR545 / A1M517 / LRV 11




Acer | SY20027
WR544 / A1M396 / LRV 52




Wilder | SY20021
WR542 / A1M516 / LRV 37




Gentian | SY20013
WR531 / A1M71 / LRV 16



Lotus | SY20015
WR536 / A1M71 / LRV 14



Madara | SY20032
WR548 / A1M56 / LRV 19



Salvia | SY20012
WR530 / A1M73 / LRV 9



Floors – Safety



Altro XpressLay adhesive-free

Application areas:


- General purpose, versatile safety where adhesive-free benefits are required where occasional contamination from water is a concern.

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.

Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 30 colours and matches with Altro Walkway 20.




Streetlight | XLI2205P
WR287 / A1M79 / LRV 45




For full technical details [altro.com](https://www.altro.com)


Floors – Safety




Blizzard | XLI2255
WR79 / A1M191 / LRV 44




Cloud | XL2214
WR79 / A1M191 / LRV 41




Fog | XL22153
WR81 / A1M81 / LRV 27




Rock | XLI2204P
WR84 / A1M84 / LRV 23




Pavement | XLI2207P
WR83 / A1M83 / LRV14




Temple | XL2209P
WR261 / A1M81 / LRV 27



Whale | XLI2254
WR86 / A1M86 / LRV 20




Dolphin | XL2210
WR86 / A1M86 / LRV 21




Runway | XL2206P
WR72 / A1M72 / LRV 9




Black | XL22892
WR100 / A1M100 / LRV 6




Skyline | XL22332
WR52 / A1M52 / LRV 24




Tarragon | XLI2252
WR52 / A1M52 / LRV 26




Waterfall | XL22912
WR155 / A1M135 / LRV 31



Blue | XL22412
WR71 / A1M71 / LRV 22




River | XLI2257
WR71 / A1M71 / LRV 22




Lupin | XLI2259
WR286 / A1M286 / LRV 17



Midnight | XL22421
WR72 / A1M72 / LRV 11




Nightfall | XLI2256
WR72 / A1M72 / LRV 10




Coal | XLI2258
WR100 / A1M100 / LRV 6

Floors – Safety




Swan | XLI2212P
WR291 / A1M01 / LRV 75




Winter | XLI2253
WR105 / A1M01 / LRV 61




Minster | XL2218P
WR289 / A1M265 / LRV 40




Sand | XLI2251
WR20 / A1M20 / LRV 40




Bone | XL22215
WR20 / A1M20 / LRV 37




Biscuit | XL22907
WR146 / A1M20 / LRV 30




Tundra | XL22910
WR153 / A1M239 / LRV 17



Savannah | XLI2250
WR153 / A1M239 / LRV 19



Tango | XL2231
WR42 / A1M42 / LRV 14



Cherry | XL22920
WR148 / A1M148 / LRV 10



Floors – Safety



Altro Walkway 20


Application areas:

- General purpose flooring for areas where occasional contamination from water is a concern

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You've loved working with Altro Walkway 20 for over 30 years because it's easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.




Swan | VMI2012P
WR291 / A1M01 / LRV 75




For full technical details [altro.com](https://www.altro.com)


Floors – Safety




Streetlight | VMI2005P
WR287 / A1M79 / LRV 45




Blizzard | VMI2055
WR79 / A1M191 / LRV 44




Fog | VM20153
WR81 / A1M81 / LRV 27




Rock | VMI2004P
WR84 / A1M84 / LRV 23




Pavement | VMI2007P
WR83 / A1M83 / LRV14



Temple | VM2009P
WR261 / A1M81 / LRV 27




Whale | VMI2054
WR86 / A1M86 / LRV 20




Dolphin | VM2010
WR86 / A1M86 / LRV 21




Black | VM20892
WR100 / A1M100 / LRV 6




Coal | VMI2058
WR100 / A1M100 / LRV 6




Skyline | VM20332
WR52 / A1M52 / LRV 24




Tarragon | VMI2052
WR52 / A1M52 / LRV 26




Waterfall | VM20912
WR155 / A1M135 / LRV 31




Blue | VM20412
WR71 / A1M71 / LRV 22



River | VMI2057
WR71 / A1M71 / LRV 22




Cloud | VM2014
WR79 / A1M191 / LRV 41




Runway | VM2006P
WR72 / A1M72 / LRV 9



Midnight | VM20421
WR72 / A1M72 / LRV 11




Nightfall | VMI2056
WR72 / A1M72 / LRV 10




Lupin | VMI2059
WR286 / A1M286 / LRV 17


Floors – Safety




Winter | VMI2053
WR105 / A1M01 / LRV 61




Minster | VM2018P
WR289 / A1M265 / LRV 40




Sand | VMI2051
WR20 / A1M20 / LRV 40




Bone | VM20215
WR20 / A1M20 / LRV 37



Biscuit | VM20907
WR146 / A1M20 / LRV 30




Tundra | VM20910
WR153 / A1M239 / LRV 17



Savannah | VMI2050
WR153 / A1M239 / LRV 19



Tango | VM2031
WR42 / A1M42 / LRV 14



Cherry | VM20920
WR148 / A1M148 / LRV 10



Floors – Safety



Altro Walkway 20 SD

Application areas:

- Computer/server suites
- Labs with static-sensitive equipment/gases
- Production areas for electronics

Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the “SD” (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD
WR81 / A1M81 / LRV 27



For full technical details [altro.com](https://www.altro.com)



Floors – Safety



Altro Classic 25

Application areas:

- Service corridors
- Serveries
- Behind bars
- Craft, design and technology areas
- Laundries
- Sluice rooms
- Sports changing rooms


Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥ 45 and an R11 slip rating.


Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.



Floors – Safety




Mushroom | X2542R11
WR24 / A1M27 / LRV 32



Truffle | X2545R11
WR153 / A1M239 / LRV 17




Walnut | X2586R11
WR62 / A1M62 / LRV 10




Quarry Red | X2560R11
WR42 / A1M42 / LRV 13




Blackberry | X2547R11
WR100 / A1M100 / LRV 7




Pewter Grey | X2539R11
WR81 / A1M81 / LRV 26




Whisper | X2548R11
WR354 / A1M84 / LRV 24




Graphite | X2546R11
WR86 / A1M86 / LRV 21



Blue | X2541R11
WR71 / A1M71 / LRV 20



Aster | X2549R11
WR286 / A1M286 / LRV 17




Legend | X2544R11
WR231 / A1M73 / LRV 10



Anvil | X2594R11
WR101 / A1M72 / LRV 11

For full technical details [altro.com](https://www.altro.com)

Floors – Safety




Altro Reliance 25

Application areas:

- Entrances, corridors, communal areas
- Sports changing rooms
- Laboratories
- Clinical areas
- Art rooms
- Laundries

Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Streetlight | D2505
WR287 / A1M79 / LRV 45




For full technical details [altro.com](https://www.altro.com)


Floors – Safety




Temple | D2509
WR261 / A1M81 / LRV 27




Rock | D2504
WR84 / A1M84 / LRV 23




Fog | D25153
WR81 / A1M81 / LRV 27




Pavement | D2507
WR83 / A1M83 / LRV 14



Vault | D2517
WR277 / A1M100 / LRV 5




Stream | D2518
WR288 / A1M71 / LRV 22



Fountain | D2502
WR306 / A1M71 / LRV 22




Pool | D2503
WR307 / A1M73 / LRV 10




Runway | D2506
WR72 / A1M72 / LRV 9




Twilight | D25910
WR39 / A1M34 / LRV 8




Roof Garden | D2500
WR262 / A1M154 / LRV 23



Skyline | D25332
WR52 / A1M52 / LRV 25



Storm | D25903
WR82 / A1M82 / LRV 16



Midnight | D25421
WR72 / A1M72 / LRV 11




Jet | D2501
WR100 / A1M100 / LRV 6

Floors – Safety




Ice Rink | D2514
WR291 / A1M01 / LRV 70




Statue | D2513
WR304 / A1M12 / LRV 62




Arena | D2510
WR297 / A1M20 / LRV 41




Bone | D25215
WR20 / A1M20 / LRV 37




Biscuit | D25904
WR146 / A1M20 / LRV 30




Plaza | D2512
WR27 / A1M27 / LRV 32




Monument | D2508
WR305 / A1M239 / LRV 23




Gallery | D2511
WR62 / A1M62 / LRV 10




Rust | D25907
WR150 / A1M238 / LRV 10



Forge | D2515
WR248 / A1M238 / LRV 9



Signal | D2516
WR300 / A1M42 / LRV 13



Floors – Safety



Altro Atlas 40


Application areas:

- Industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift (for more intense forklift use please choose a resin)
- Sports changing rooms where spikes and studs on shoes are used
- Mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.




Pewter Grey | X4039
WR81 / A1M81 / LRV 26




For full technical details [altro.com](https://www.altro.com)

Floors – Safety




Mushroom | X4042
WR24 / A1M27 / LRV 32



Quarry Red | X4060
WR42 / A1M42 / LRV 13



Walnut | X4086
WR62 / A1M62 / LRV 10



Anvil | X4094
WR101 / A1M72 / LRV 11

Floors – Safety




Altro Stronghold 30 adhesive-free

Application areas:

- Commercial kitchens (not domestic)**
- Cold rooms*
- Food preparation and service areas where grease, oil, fats are present
- Kitchen stairs*
- Temporary kitchens

Designed exclusively for commercial kitchens, Altro Stronghold 30 adhesive-free can be welded and walked on the same day, significantly reducing kitchen downtime. With an integral DPM, it's fast-fitting and can even be installed over existing flooring or on fresh concrete. Over 95% of an installed floor can be recycled or re-used after use.

Altro Stronghold 30 adhesive-free is the ideal flooring solution for busy kitchens. It's easy to maintain and repair and has excellent scratch and scuff resistance, giving your kitchen floor a long life expectancy. It has Altro's highest rating for slip resistance (PTV≥55, R12) and 3mm thickness, which provides comfort underfoot.




Clam | AFK30215
WR20 / A1M20 / LRV 36




For full technical details
altro.com


Floors – Safety



Celadon | AFK30332
WR52 / A1M52 / LRV 24




Zinc | AFK3010
WR86 / A1M86 / LRV 21




Mortar | AFK30911
WR101 / A1M72 / LRV 11




Gulf | AFK30421
WR72 / A1M72 / LRV 11



Soot | AFK3001
WR100 / A1M100 / LRV 7



Tempest | AFK30153
WR100 / A1M100 / LRV 7



Moleskin | AFK30500
WR153 / A1M239 / LRV 17

*For installations in cold rooms that reach temperatures below 0°C, and on kitchen stairs, Altro Stronghold 30 adhesive-free must be fully adhered using AltroFix™ 19 Plus. For more information please refer to our technical installation guide.

**Altro recommend the use of AltroFix MP600 one trowel width around vulnerable points where water ingress or thermal shock might occur, such as drains, gullies and exposed edges to ensure the correct profile of the flooring. For more information please refer to our technical installation guide.

Floors – Safety



Altro Stronghold 30


Application areas:

- Commercial kitchens (not domestic)
- Cold rooms
- Food preparation and service areas where grease, oil, fats are present
- Sloping ramps
- Kitchen stairs

Water underfoot is treacherous enough – add grease, oils and fats, and you’ve got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it’s essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro’s highest rating for slip resistance (PTV ≥55, R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Star | K30912
WR79 / A1M191 / LRV 41




For full technical details [altro.com](https://www.altro.com)


Floors – Safety




Monsoon | K30153
WR81 / A1M81 / LRV 24



Cannon | K30911
WR101 / A1M72 / LRV 11




Dolphin | K3010
WR86 / A1M86 / LRV 21




Midnight | K30421
WR72 / A1M72 / LRV 11




Abyss | K3001
WR100 / A1M100 / LRV 7




Oyster | K30215
WR20 / A1M20 / LRV 36




Biscuit | K30907
WR146 / A1M20 / LRV 30




Torch | K30913
WR278 / A1M42 / LRV 16




Tundra | K30500
WR153 / A1M239 / LRV 17




Skyline | K30332
WR52 / A1M52 / LRV 24



Lime | K3086
WR472 / A1M381 / LRV 42



Russet | K30262
WR41 / A1M41 / LRV 14



Surf | K30412
WR71 / A1M71 / LRV 20

Floors – Safety




Altro Aquarius

Application areas:

- Bathrooms
- Showers
- Changing rooms (except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms
- Therapy pools with specialist care

Achieving a PTV ≥ 50 (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments. With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility. It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.




Puffin | AQI2005
WR287 / A1M79 / LRV 46




For full technical details [altro.com](https://www.altro.com)


Floors – Safety




Terrapin | AQI2009
WR289 / A1M265 / LRV 40



Vole | AQ2010
WR289 / A1M265 / LRV 43



Walrus | AQ2007
WR261 / A1M81 / LRV 29




Tern | AQI2008
WR261 / A1M81 / LRV 31




Hippo | AQI2013
WR301 / A1M82 / LRV 11




Gosling | AQI2023
WR369 / A1M369 / LRV 59




Iguana | AQ2021
WR297 / A1M20 / LRV 41




Otter | AQI2006
WR290 / A1M239 / LRV 26




Cygnet | AQ2004
WR287 / A1M79 / LRV 46




Salamander | AQI2011
WR294 / A1M294 / LRV 41




Swan | AQI2012
WR291 / A1M01 / LRV 75




Sea Snail | AQI2024
WR370 / A1M370 / LRV 50




Dragonfly | AQ2001
WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002
WR288 / A1M71 / LRV 24




Newt | AQ2022
WR368 / A1M368 / LRV 10



Coral Crab | AQI2014
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016
WR303 / A1M303 / LRV 11



Treefrog | AQI2003
WR293 / A1M271 / LRV 33



Mallard | AQI2015
WR302 / A1M302 / LRV 13

Floors – Safety



Altro Pisces

Application areas:

- Bathrooms
- Showers
- Changing rooms
(except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms

For ‘home from home’ environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN 51097 for barefoot use, plus a Pendulum Test Value (PTV) of ≥50 (Slider 96), a soft-look finish and 17 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slip-resistance you expect from Altro.


Altro Pisces performs whether wet or dry, in shoes or barefoot.



Breakwater | SB2003
WR386 / A1M20 / LRV 42

For full technical details [altro.com](https://www.altro.com)


Floors – Safety




Lighthouse | SB2001
WR291 / A1M01 / LRV 70




Jellyfish | SB2005
WR388 / A1M388 / LRV 46



Porthole | SB2007
WR390 / A1M390 / LRV 30



Anchor | SB2008
WR391 / A1M82 / LRV 16




Houseboat | SB2015
WR398 / A1M398 / LRV 25




Fisherman | SB2009
WR392 / A1M392 / LRV 48




Seahorse | SB2011
WR394 / A1M394 / LRV 47



Windbreak | SB2016
WR399 / A1M399 / LRV 38



Deckchair | SB2013
WR396 / A1M396 / LRV 50



Sea Urchin | SB2014
WR397 / A1M397 / LRV 34



Cuttlefish | SB2002
WR385 / A1M385 / LRV 50



Shoreline | SB2006
WR389 / A1M389 / LRV 38




Beach Hut | SB2012
WR395 / A1M395 / LRV 37



Driftwood | SB2004
WR387 / A1M387 / LRV 32



Sand Dune | SB2018
WR568 / A1M239 / LRV 20



Starfish | SB2010
WR393 / A1M393 / LRV 21

Floors – Safety




Altro Marine 20

Application areas:

- Shower cubicles
- Swimming pool foot bath
- Swimming pool surrounds

Altro Marine 20 has a dimpled surface that’s specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.




Shark | IPT20812
WR201 / A1M84 / LRV 24



For full technical details [altro.com](https://www.altro.com)

Floors – Safety




Gull | T20813
WR79 / A1M191 / LRV 46




Cascade | IPT20809
WR105 / A1M01 / LRV 71



Reef | T20801
WR20 / A1M20 / LRV 41




Seagrass | IPT20814
WR137 / A1M137 / LRV 37




Fen | IPT20815
WR242 / A1M242 / LRV 19




Steam | IPT20807
WR85 / A1M85 / LRV 37



Rainfall | IPT20810
WR135 / A1M135 / LRV 38



Marlin | T20811
WR203 / A1M203 / LRV 34



Tide | IPT20808
WR71 / A1M71 / LRV 21

Walls



Altro Whiterock White


Application areas:

- Accident and emergency, critical care
- Commercial, social, student kitchens
- Laboratories, test areas
- Laundries, mortuaries
- Bathrooms

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.

Pair with AltroFix™ W139 adhesive for your fully bonded, 20-year system guarantee.



White | W103-W104
LRV 89

For full technical details [altro.com](https://www.altro.com)



Walls



Altro Whiterock Satins

Application areas:

- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms
- Kitchenettes









Utilise colour to subtly create a mood with Altro Whiterock Satins. This adaptable and refined wall cladding comes in various off-white hues, tonal colours, and solid, decorative shades, ranging from calming and restorative to vibrant and dynamic. In addition to LRVs, we’ve also measured the chroma values to help you choose the best colour.


Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010. Pair with AltroFix™ W139 adhesive for your fully bonded, 20-year system guarantee.



Walls

 Linen 41 LRV 83	 Silk 229 LRV 68	 Hessian 233 LRV 68	 Fawn 206 LRV 41	 Clay 224 LRV 29
 Blossom 230 LRV 77	 Oyster 32 LRV 73	 Blush 231 LRV 29	 Honeydew 225 LRV 60	 Bergamot 220 LRV 26
 Seafoam 43 LRV 81	 Spa 232 LRV 81	 Promenade 212 LRV 32	 Orchard 223 LRV 50	




Serenity | 227
LRV 56

For full technical details [altro.com](https://www.altro.com)


Walls




CESCO | 53
LRV 72




ECHO | 208
LRV 36



URBAN | 210
LRV 28




TWILIGHT | 226
LRV 12




DAKOTA | 209
LRV 6




ICE | 44
LRV 80




CLARITY | 207
LRV 64




BREEZE | 228
LRV 64



FLINT | 201
LRV 32



OZONE | 211
LRV 10



MINT | 203
LRV 59



VIBRANCE | 213
LRV 22



Walls



Altro Whiterock Chameleon

Application areas:

- High-end bathrooms
- Showers and changing rooms
- Foyers
- Serveries
- Retail

Make a bold statement with Alto Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Alto Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Alto Whiterock, Alto Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.

Pair with AltoFix™ W139 adhesive for your fully bonded, 20-year system guarantee.




Key Lime | 6635
LRV 50




For full technical details [altro.com](https://www.altro.com)


Walls




Pure Innocence | 6601V
LRV 92



Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Sheer Glass | 6609V
LRV 40




Ocean Deep | 6637
LRV 7




Ice Queen | 6629V
LRV 36




Eau De Chic | 6605V
LRV 48



Hawaiian Palm | 6638
LRV 22




Distant Thunder | 6634
LRV 18




Liquorice | 6612V
LRV 5




Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9

Walls



Altro Whiterock wall designs

Application areas:

- Public areas, receptions, foyers, lobbies
- Bedrooms in hotels and hospitals
- Cafés, restaurants and bars
- Bathrooms, showers and changing rooms

With natural wood, metal, stone and linen options, Altro Whiterock wall designs give an elegance to interior walls while providing the durability you expect from an Altro Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Altro Whiterock sheet, can be hot welded and can be combined with Altro floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Altro Whiterock and Altro Fortis wall sheets in adjacent areas.

Pair with AltroFix™ W139 adhesive for your fully bonded, 20-year system guarantee.



Cool Mineral | 9906
LRV 48


For full technical details [altro.com](https://www.altro.com)




Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36




Soft Woodgrain | 9901
LRV 52




Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28



Brushed Steel | 9911
LRV 54



Antique Copper | 9912
LRV 10



Rich Woodgrain | 9902
LRV 14

Walls



Altro Whiterock Digiclad (Custom)

Application areas:

- Cafés, restaurants and bars
- Public areas, receptions, foyers, lobbies
- Retail, offices, commercial building spaces where looks count
- Bathrooms, showers and changing rooms

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.


Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.



For full technical details [altro.com](https://www.altro.com)



Walls



Altro Fortis Titanium

Application areas:


- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 12 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.


** Conditions apply. Please contact us for more information.




Cardinal | FT/221
LRV 13

For full technical details [altro.com](https://www.altro.com)

Walls




White | FT/01
LRV 89




Pearl | FT/41
LRV 83



Almond | FT/32
LRV 70




Tan | FT/206
LRV 41




Mustard | FT/222
LRV 69



Shadow | FT/53
LRV 71




Riviera | FT/207
LRV 64




Denim | FT/201
LRV 32



Oxford | FT/211
LRV 10



Kingfisher | FT/213
LRV 22



Battleship | FT/208
LRV 43

Walls




Altro Fortis corner protection

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

For extra protection on a wall’s vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn’t right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.




Battleship | FT/208/E75X75
LRV 43




For full technical details [altro.com](https://www.altro.com)

Walls




White
FT/01/E75X75
LRV 89




Pearl
FT/41/E75X75
LRV 83



Almond
FT/32/E75X75
LRV 70




Tan
FT/206/E75X75
LRV 41




Mustard
FT/222/E75X75
LRV 69



Shadow
FT/53/E75X75
LRV 71



Riviera
FT/207/E75X75
LRV 64




Denim
FT/201/E75X75
LRV 32



Oxford
FT/211/E75X75
LRV 10



Kingfisher
FT/213/E75X75
LRV 22



Cardinal
FT/221/E75X75
LRV 13

Walls



Altro Tegulis

Application areas:

- Non-commercial kitchens
- Supermarket counters
- Bars/Cafe/Restaurants
- Spas
- Hotels

With numerous colour and tile-effect combinations, Altro Tegulis is perfect if you are looking to create a stylish, flexible look for walls. Created from 11 standard tile-effect options with multiple colour and design palettes. An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes creative wall design to a new level.

With the look and feel of tiles, the custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.


Pair with AltroFix™ W139 adhesive for your fully bonded, 20-year system guarantee.



Cool Mineral | 9906
LRV 48

For full technical details [altro.com](https://www.altro.com)

Walls



White | WSR01
LRV 89



White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28




Warm Woodgrain | 9904
LRV 38




Antique Copper | 9912
LRV 9


Tile-effect options




Stacked Metro tile
76mm x 292mm




Stacked tile
222mm x 389mm




Metro tile
76mm x 146mm




Metro tile
76mm x 292mm




Metro tile
102mm x 233mm




Square tile
106mm x 106mm




Mosaic tile
35mm x 35mm




Mosaic tile
53mm x 53mm



Chevron tile
69mm x 146mm



Herringbone tile
82mm x 165mm



Hexagon tile
112mm x 130mm

Walls



Altro Whiterock Imagination Wall

Application areas:

- Waiting areas
- Hospital wards
- Nurseries
- Activity centres

Altro Whiterock Imagination Wall gives children the chance to colour to their hearts' content - then you dry wipe away and they can start again! This new addition to the Altro Whiterock range is available in six imaginative scenes providing children with a low-maintenance creative outlet, while simultaneously protecting walls from scuffs and bumps commonly found in paediatric offices and classrooms. Altro Whiterock Imagination Wall blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas. Designed for use with non-toxic, washable, dry wipe markers, Altro Whiterock Imagination Wall can be easily cleaned for repeated use.



Space | WIM001




For full technical details [altro.com](https://www.altro.com)


Walls



Dinosaurs | WIM002




Shapes | WIM003



Space | WIM001



Aeroplanes | WIM005



Pirates | WIM006

Walls




Altro Whiterock Whiteboard

Application areas:

- Classrooms
- Meeting, training rooms
- Consultation rooms
- Play areas

Altro Whiterock Whiteboard is ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001
LRV 89



For full technical details [altro.com](https://www.altro.com)



Walls



Altro Walls ShowerKit


Application areas:

- Bathrooms, ensuites
- Shower areas

Eliminating the need for costly and time-consuming tile removal Altro Walls ShowerKit enables customers to transform the appearance of bathrooms without undertaking extensive renovations, saving both time and money in refurbishment or new build projects.

- Water-resistant
- Easy to clean
- Durable
- 10-year guarantee
- Reduces installation time
- Limitless design possibilities

Without the need for grout – where stains and mould can be a problem, Altro Walls ShowerKit looks good from installation and beyond.




White | W103-W104
LRV 89

For full technical details [altro.com](https://www.altro.com)


Walls




Linen | 41
LRV 83




Silk | 229
LRV 68




Hessian | 233
LRV 68



Fawn | 206
LRV 41




Clay | 224
LRV 29




Blossom | 230
LRV 77




Oyster | 32
LRV 73




Blush | 231
LRV 29



Honeydew | 225
LRV 60




Bergamot | 220
LRV 26




Seafoam | 43
LRV 81




Spa | 232
LRV 81



Serenity | 227
LRV 56




Promenade | 212
LRV 32




Orchard | 223
LRV 50



Cescio | 53
LRV 72



Ice | 44
LRV 80




Mint | 203
LRV 59




Vibrance | 213
LRV 22


Walls




Echo | 208
LRV 36




Urban | 210
LRV 28



Twilight | 226
LRV 12




Dakota | 209
LRV 6




Clarity | 207
LRV 64



Breeze | 228
LRV 64




Flint | 201
LRV 32



Ozone | 211
LRV 10


Tile-effect - 100mm x 100mm Square




White | W103-W104
LRV 89




Cool Mineral | 9906
LRV 48




White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28




Warm Woodgrain | 9904
LRV 38



Antique Copper | 9912
LRV 10

Walls


Tile-effect - 100mm x 300mm Stacked Metro




White | W103-W104
LRV 89



Cool Mineral | 9906
LRV 48




White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28




Warm Woodgrain | 9904
LRV 38



Antique Copper | 9912
LRV 10


Tile-effect - 200mm x 300mm Stacked Metro




White | W103-W104
LRV 89



Cool Mineral | 9906
LRV 48




White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28



Warm Woodgrain | 9904
LRV 38



Antique Copper | 9912
LRV 10

Walls




Altro Whiterock recessed shelf

Application areas:

- Bathrooms, ensembles
- Shower areas

The Altro Whiterock recessed shelf is a pre-fabricated unit, using proven Altro Whiterock hygienic walls sheet. This unit is perfect for making bathing an easier and more familiar experience for residents and patients in social housing and healthcare applications such as mental health facilities and care homes. It is recessed into the wall and hot welded flush to adjoining Altro Whiterock wall sheets, ensuring a hygienic solution with no ledges or lips that could cause injury.

Available in four calming colours, this hygienic system provides a watertight, rust-proof shelf for shower toiletries, which is tamper-resistant and free from potential ligature points, helping to keep users safe.



White | A900/103
LRV 89



For full technical details [altro.com](https://www.altro.com)


Walls



Linen | A900/41
LRV 83



Oyster | A900/32
LRV 70



Fawn | A900/206
LRV 41

Walls



Altro Whiterock Splashbacks

Application areas:

- Kitchens, kitchenettes
- Bistros
- Hospital wards
- Ensuite bathrooms
- Schools, nurseries
- Supermarket counters

Hygienic, low-maintenance, convenient and easy to install, Altro Whiterock Splashbacks are a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to co-ordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon and Altro Whiterock wall designs ranges, pick your size, and away you go.




Key Lime | 6635
LRV 50


For full technical details [altro.com](https://www.altro.com)




Walls




Pure Innocence | 6601V
LRV 92




Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Ocean Deep | 6637
LRV 6



Liquorice | 6612V
LRV 5




Distant Thunder | 6634
LRV 18




Sheer Glass | 6609V
LRV 40




Eau De Chic | 6605V
LRV 48




Hawaiian Palm | 6638
LRV 22




Ice Queen | 6629V
LRV 36




Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20




Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9




Linen | 41
LRV 83




Silk | 229
LRV 68




Hessian | 233
LRV 68



Fawn | 206
LRV 41




Clay | 224
LRV 29




Blossom | 230
LRV 77




Oyster | 32
LRV 73



Blush | 231
LRV 29



Honeydew | 225
LRV 60



Bergamot | 220
LRV 26


Walls




Seafoam | 43
LRV 81




Spa | 232
LRV 81



Serenity | 227
LRV 56



Promenade | 212
LRV 32




Orchard | 223
LRV 50




Cesco | 53
LRV 72



Ice | 44
LRV 80




Breeze | 228
LRV 64




Mint | 203
LRV 59




Vibrance | 213
LRV 22




Clarity | 207
LRV 64




Flint | 201
LRV 32




Ozone | 211
LRV 10




Twilight | 226
LRV 12




Dakota | 209
LRV 6



Echo | 208
LRV 36



Urban | 210
LRV 28




White | W103-W104
LRV 89


Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52




Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48




Urban Mineral | 9907
LRV 28



Antique Copper | 9912
LRV 10



Rich Woodgrain | 9902
LRV 14



Brushed Steel | 9911
LRV 54

Doors



Altro Whiterock hygienic doorsets

Application areas:


- Operating theatres, accident and emergency, clinical areas
- Commercial kitchens
- Laboratories
- Receptions, foyers, lobbies
- Lounges
- High-end Bathrooms

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Encapsulated with PVCu, they're not only tough and impact-deflective, but also hygienic and low maintenance.

Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in Altro Whiterock wall designs or Altro Whiterock Satins, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.



Flint | 201
LRV 32

For colours see pages 78-79, 72-74.
For full technical details altro.com



Doors



Altro Fortis doorsets


Application areas:

- Service corridors
- Public corridors
- Loading areas
- Dry changing rooms

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets encapsulated with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Pearl | FT/41
LRV 83

For colours see pages 82-83.
For full technical details altro.com



Doors



Altro Fortis door protection

Application areas:

- Circulation, public areas
- Corridors
- Classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.

Available in 12 colours.



Almond | FT/32
LRV 70


For colours see pages 82-83.
For full technical details [altro.com](https://www.altro.com)



Technical drawings - Floors


Straight laid

D1/03/05



Sit-on cove


D2



Technical drawings - Floors


Set-in cove skirting

D3




Self-coved with cove former and capping seal

D4/03/05



Technical drawings - Floors


Self-coved with cove former and captile strip C8 to wall tiles



D5/03/05


Technical drawings - Floors

Self-coved with cove former to Altro wall system semi-rigid PVCu sheet




D8/03/05

Self-coved with cove former and capping seal C11 over floor tiles



D6/03/05

Self-coved to architrave




D9/03/05

Technical drawings - Floors


Finished to gully angle

D10/03/05



Transition with other floor surfaces


D12/08/05



Technical drawings - Floors


Transition with clamping drain

D13/03/05



Transition with clamping channel


D14/03/05



Technical drawings - Floors

Transition with access covers


D16/03/05



Technical drawings - Walls


Altro wall system to window / door frame detail

W1



Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail


WS2



Technical drawings - Walls


Altro wall system to boxing inspection cover detail

W3



Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail

WF4




Shower tray detail for dementia-friendly environments available at www.altro.com

Technical drawings - Walls


Altro wall system to Altro resilient flooring overlap detail

WF4a



Altro wall system to Altro resin flooring detail


WF5



Technical drawings - Walls


Altro wall system to Altro resin flooring detail

WF6



Altro wall system with corner protector fixing detail


W8



Technical drawings - Walls


Altro wall sheet to Altro wall sheet detail

W9



Altro wall sheet to Altro Whiterock FlexiJoint detail


W11



Technical drawings - Walls

Concealed transition strip


WHTT2



Technical drawings - Walls

Concealed transition strip


WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.

Concealed transition strip

WHTT3



Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling

Customer support and CPD services

Altro showrooms

NBS specifications

Life cycle costs

More information is available on [altro.com](https://www.altro.com)



“We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”


Scott Myers,
Managing Director, Pinnacle

Samples

If colour choice is critical, please
request a sample of the material

☎ 01462 707 700

✉ enquiries@altro.com



altro

POWERED BY:

PREMIER

premier.partners

LG-118-J, EME Sector, DHA Phase 12 Multan Road,
Lahore 53710 - Pakistan | +92 342 004 2042

Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW

☎ 01462 707 700 ✉ enquiries@altro.com

 Altro, Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata adhesive-free, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro Illustra adhesive-free, Altro Illustra, Altro Walkway, Altro Walkway SD, Altro XpressLay adhesive-free, Altro Stronghold adhesive-free, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock wall designs, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Whiteboard, Altro Whiterock Imagination Wall, Altro Whiterock Splashbacks, Altro Walls ShowerKit, Altro Whiterock recessed shelf, Altro Fortis Titanium, Altro Fortis corner protection, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2024

altro.com

4666 issue date 11/24
PROD CAT EN