### **WALL PANELS FOR EXTERIORS**



POWERED BY:



## Panelex

is a part of Premier your partner in construction materials for various spaces.

Activiors, Carebuilt, Cubeluxe, Cubemax and Panelex are business units of Premier and its associated companies





#### **Panelex Introduction:**

Panelex has developed sandwich panel integrated system of decoration and energy efficiency. Panelex sandwich panel system are imbedded into the concept of the humanities and international fashion design elements and are leading the new trend of energy saving building materials and satisfied the energy saving development and the market.

Through the endless improvement and reforms Panelex forms its customer oriented developing marketing and service process. Panelex is unique product that is perfect building material and serves the whole socity with best decoretive walling material.

#### **Product information:**

Panelex consists of 3 layers. The top layer is special aluminum zinc coated matel board or aluminum panel. The core material is hard polyurethane foaming (for insolation) the back layer is glass fiber paper or aluminum foil paper. All the 3 layers are shaped by industrialized specialized manufacturing.

Weight: 3.7 kg/m2

Standard Size: 3800x380x16mm
Packag Size: 3850x415x135mm
Packag Quantity: 8 pcs/carton
Aluminum Zinc Coated Matel Board

Thickness: 0.27 To 0.30mm

Panelex has the special structure design of energy saving which eliminate the hot and cold effects. The special air layer can adjust the wall humidity, effectivly avoid the indoor moisture, dew and other phenomena that might occurs and extends the life of building.

Panalex is the perfect material for deocration, fast and easy consturction and a cost effective product.



YM-2968
Texture: Plastic spraying eluminum aloy
Function: starting part binding-off

part of inside part of the window, internal-angle part 3000 x 18.5 x 20mm



YM-10509 Texture: Aluminium alloy Function: inside starting part 3000 x 33 x 15mm



YM-10590A
Texture: Aluminium alloy
Function: base A of board connecting part
3000 x 35 6 x 12mm



YM-2966
Texture: Plastic spraying aluminum aloy
Function: window and door part,
external-anglo part
3000 x 36 x 24mm



YM-2969
Texture: Plastic spraying aluminum alloy
Function-buckling lid of binding-off part
3000 x 18.5 x 21mm



YM-2970 Texture: Aluminium alloy Function: base of binding-off part 3000 x 38.5 x 17.5enm



YM-2005/A
Texture: homogeneous accessories
Function: Connecting part
380 × 40 × 10mm



YM-20050 Texture. The same material Function. External angle part / Internal angle part 380 x 50 x 50mm









B61312-001

# Panelex



B134-001

B256-001















### Panelex





# Panelex










B61312-001 B1







POWERED BY:



LG-118-J, EME Sector, DHA Phase 12 Multan Road, Lahore 53710 - Pakistan +92 342 004 2042